

ISO 9001: 2015

AUTOMATIC METALLOGRAPHIC SPECIMEN GRINDING & POLISHING MACHINE WITH HEAD



Registered Office: UGF-12 Ansal Plaza-1 Chiranjeev Vihar Ghaziabad-201002 (U.P.) INDIA Workshop: Khasra No - 63 Village Bayana, Near Wave City, NH 24, Ghaziabad -201015 (U.P.) INDIA

Phone: +91-8750305291

Email: info@hsmleindia.in / sales@hsmleindia.com
Website: www.hopesmluckyenterprises.in / www.hsmleindia.com (Under Construction)



ISO 9001: 2015

DESCRIPTION:

Model BETAPOL-1P Automatic Metallographic specimen grinding and polishing machine is equipped with an independently powered polishing head and features stepless speed changing It can finish the whole process of rough grinding, fine grinding, rough polishing and finishing polishing for specimen preparation. It is the necessary metallographic specimen-preparing instrument for use in factories, scientific research institutes and laboratories of colleges.

FEATURES:

- Single pressure specimen holding
- Illuminated led indication display functioning with digital timer
- Variable time and RPM setting
- Disc movement can be clockwise/counterclockwise Sound rating less than 75 dB at maximum RPM.
- Easy start stops smooth function.

TECHNICAL SPECIFICATION:

Model No.	BETAPOL-1P
Diameter of working disc	Ø200mm (Minimum)
No of polishing Disc	Single
Rotating speed of the working disc	600 rpm (Maximum)
Rotating speed of the polishing head	Stepless speed changing upto 100 rpm
Sample holder (Minimum 3 samples)	30mm-50mm
Sample preparing time	60-999 seconds
Operating temperature	10°-40°C
Torque motor	1 HP
Polishing Head Motor	½ HP
Power supply	Single phase, 220V, 50Hz

^{*} Due to continuous product development, Image & specification can be upgraded.

Registered Office: UGF-12 Ansal Plaza-1 Chiranjeev Vihar Ghaziabad-201002 (U.P.) INDIA Workshop: Khasra No - 63 Village Bayana, Near Wave City, NH 24, Ghaziabad -201015 (U.P.) INDIA

Phone: +91-8750305291

Email: info@hsmleindia.in / sales@hsmleindia.com

Website: www.hopesmluckyenterprises.in / www.hsmleindia.com (Under Construction)